

Book II

13pt B&CM 32

-Margaret Deck-

- July 1911 -



17p2 Box 432



- Strangalia amata -



- Colocoris sexmaculata -



- Gastrophysa viridis -



- Brachymeria -



- Telephorus -



- Giant Tailed Wasp -



- Sneezewort -

Folkestone.



July 14th.

The cliffs are a mass of wild flowers, which consist chiefly of wild mustard, poppies, mallow and bugle, besides many

others. There are several

purple scabious plants, I am not quite sure whether they are wild or not. I think they must be, as everything else on the cliffs is in quite a wild state.

We found this little yellow flower, there was only one piece of it.

There has been no rain for such a long time, that everything looks most dreadfully dusty.

We went on the beach, and as it was low tide we were able to go on the rocks.

We saw several jelly fish floating about in the pools, some of them were quite large, and had brown stripes radiating out from the centre of their backs.

July 15th.

A great deal of this viper's bugloss grows on the cliffs by the sea. The flowers are pink when they first come out, and then they turn blue. Most of the stamens are pink but when the flower dies, they turn dark blue or black. The stem is marked with small black spots the whole way up.

- Viper's Bugloss -



July 19th.



- Common Fleabane -

July 18, 1911


July 18th.

This afternoon we went to the Warren which is the name given to the base of the cliffs between here and Dover. The ground is exceedingly chalky, and by the sea there is also a certain amount of clay. There are a great many blackberry bushes, up which an abundance of clematis, bryony and vetches grow. There are several small ponds, but nothing much grows in them except pond weeds and a branched plant, bearing small white flowers, somewhat resembling forget-me-not. Just at the edge of the water a great deal of

probably
water plantain

Wild roses are still out. We found some yellow horned poppies, which were nearly over; as soon as we gathered them the petals dropped off. Some of the horns were nearly a foot long.

We found this orchis growing in some coarse grass; it is very like the sweet scented orchis, but it has practically no scent whatever. The flowers are all arranged in a flat heads at the top of the stalk, which is very slightly grooved.



Orchis pyramidalis.



Common Alexanders.

June 19th.

This afternoon we went for a walk over the Downs. The grass looks very dried up and brown as there has been no rain for such a long time. We found the glematis fully out, there is a good deal of it climbing up the blackberry bushes. We found some white bryony climbing up a blackberry bush, I had never seen it before. The flowers a pale greenish yellow, and the berries are first bright green, then orange, and finally a dull red. The tendrils are extremely long and curled. (See next page) We found a large patch of raven, with its delicate mauve flowers. On the side of the hills we found quantities of a little white flower, but I have not yet been able to find its name.



Flower

White



Bryony

17 p 11 Bos CM 132



Common

Vervain

July 19

July 20th.

This afternoon we went a bicycle ride; it was a lovely day for it, there was not too much wind. The country is looking very dry and brown, rain is badly needed. The corn is getting ripe, especially the wheat and barley, it looks almost ready for cutting. We found a great many Canterbury bells growing by the road sides, they generally seem to grow in or near woods. We found a white plant of great knapweed, it is the first time I have seen one. Scabious grows everywhere in abundance, some of the flowers are a lovely deep mauve, while others are almost white. We found a number of different kinds of thistles; among them the Common Carline Thistle, which I have only found in one part of Kent, that is on a dry heath at a small place about ten miles from here; it is straw-coloured, and very glossy, and does

not grow very high from the ground. We found the marsh thistle, some plants had white flowers, while others were deep purple. We also found the dwarf plume-thistle, which grows to a very short height, and has a single, almost stemless, purple flower. The leaves are few and tiny.

July 21st. A very hot day. It seems to get hotter each day.

July 22nd.

We went to the Daren, which was comparatively cool; the heat is still intense. As it was low tide we were able to hunt among the rocks. We found a great many crabs, most of which were a bright green colour in some parts, which matched the green seaweed. We saw a large jellyfish, which was round, and had brown stipes, coming from the centre. It had long brown legs, and ~~thin~~ long, white ones as well. We also found a small one, and some fossils.

Scotch
Thistle -



White

Marsh

Thistle -

July 21 -

Purple Marsh Thistle -



July 22 -



July 24 -



Carline
Thistle -

Aug 1 -



Dwarf Thistle -

July 24 -



Sow Thistle -

August 1 -

July 15 Box CM 32



"I Borage
bring
Courage"

Borage

July 20

July 16 Box CM 32

July 26th.

This is a ^{very} hairy plant indeed, all parts of the plant, except the petals of the flowers, are covered with little white, and in some cases blue or red, hairs.

The stalks are generally red, especially at the top of the plant. There is a good deal of it to be found on some waste ground, where some houses are being built. I have also seen a little of it growing on the cliffs.

The blackberry bushes are in full flower. There is a great deal of purple dead nettle about, some of it grows very tall; some plants are three or four feet high.

The poppies are just beginning to come out, and there are still a few wild roses left.

Ap 17 Box CM32



Bristly

Ox-tongue

This flower is easily distinguished by its large heart-shaped bracts at the base of the flowers. It has numerous prickles, each of which springs from a raised white spot. It is a stout plant, very much branched, and grows in waste places.

July 26

Ap 18 Box CM32



CRAB

July 27.

This afternoon we went to the Dunes, and on the rocks we found a great many crabs of all sizes and of very varied colours. Some were a dull brown, very much resembling the colour of the clay and sand, while others were bright green, some of them having yellow and red patches on their backs. Some of them had tiny limpets clinging on to them.

Seaweed



July 28

27p 19 Box 1432



AUG. 7

July 29th.

We motored to Rye, and came back through the Romney Marsh. The corn fields look almost ripe, and most of them seem ready for cutting. Wheat seems the ripest, but we also saw some oats cut. We noticed a great deal of ivy climbing up the hedges, most of the leaves have already turned yellow and brown. The haystacks in the marsh are all thatched with reeds instead of with straw, which gives them a very fresh appearance. These reeds grow by the edges of all the ditches, and in the ponds. We passed a small pond which was quite covered with water buttercups. Viper's bugloss seems to flourish on the very shingly soil of the marsh, in some places it grows simply in the shingle. The day has been very close, but this evening's thunder storm has cooled the air considerably.



July 31st.

This afternoon we spent on the beach. The tide was very high, much higher than it often is. We found a great deal of mallow on the cliffs; snails seem very fond of it, there are always to be found several small ones on its leaves and stems. The flowers wither very soon.

- MALLOW -

- July 31 -



- Lucerne -



- Saintfoin -

August 2.

This afternoon we went a very pretty walk over the hills, across the Canterbury road, to the Lady Doods. On the hills we found a good many hairbells, but most of them were very small. There was a great deal of greater knapweed; some of it grew very high in amongst the grass bushes. We passed through some cornfields which did not seem to have suffered from the drought, I have seldom seen such a fine field of wheat, and the barley was almost as good.

We found several blackberries quite ripe, it seems very early for them. White campion is still in flower.

The honeysuckle has been very early this year, it seems nearly over already. When it is gathered it drops almost immediately.

Lucerne and saintfoin are generally cultivated for fodder, but they occasionally seem to grow wild; I have often found them in hedges, quite away from any fields. Buts are getting very large.



"Though woodbines flaunt a roses grow
 O'er all the fragrant bowers,
 Thou need'st not be ashamed to show
 Thy satin-threaded flowers;
 For dull the eye, the heart is dull,
 That cannot feel how fair,
 Amid all beauty, beautiful
 Thy tender blossoms are."

— Elliott —

AUG. 4.

Blackberries are ripe very early this year,
 Some days ago we found several that were
 quite black.
 We found field gentian out for the first time.



— Musk Thistle —

— August 5 —

27p25 Box CM32

August 7th.

We spent the afternoon on the beach; fortunately the tide was low, leaving the rocks uncovered. We found a great many different kinds of seaweed, in all shades of green, brown, red and yellowish white. Crabs, as usual, were to be found in all the pools, a great many seem to have lost some of their legs. We found a tiny one, it looked almost like a very small spider, it is quite the smallest I have seen. I tried to find some starfish, which seem very scarce just at present, and I only found a very small one which was dead.

August 9th.

The fine weather still continues, and it seems to get hotter each day. This morning before 8 am. the thermometer was 86° in the shade, and later on in the day it was 115° in the sun. There are a great many small green caterpillars hanging from the trees, more than I have ever seen before.

27p26 Box CM32

August 10th.

It is much cooler today, there is much more breeze. This afternoon the wind got up, and this evening there is quite a gale blowing, which has made the sea very rough. The rain still keeps off.

August 11th.

There is still a good deal of wind, though not quite as much as yesterday. The fine weather still continues. The cliffs can be seen very clearly this afternoon, they look very brown and bare. There are several patches of bright red earth, which are a great contrast to the chalk and grass.

August 12th.

A glorious day. We motored to Ashford, and found it even hotter there than it is here. The hops we passed seemed to be a very good crop, they will soon be ready for picking. Nearly all the corn is cut, and most of it is brought in.

August 14th. A lovely day, and much cooler. We motored through Bente and Sandwich to Deal, and back through Dover. We passed several very fine hop fields.

27p27 Bon CM32



- SLOE -

- AUGUST 17. 1912 -

27p28 Bon CM32

August 17th.

Thun, Switzerland.

This afternoon we went through what is called the Via Mala, where the Rhine flows through a bed it has made for itself out of the rock, the sides of which are about 1600 ft. high, and rise up almost sheer from the water. On the summit there are masses of trees, and on the sides they grow in every place where is any soil, in some cases there looks to be very little. The scenery is magnificent; the colouring of the rocks, the different shades of the green of the grass and trees, and the beautiful green colour of the river is beyond all description.

The road runs by the side, and crosses the river by bridges in three places at a height of about 160 ft. In some parts the river is so narrow that the rocks on either side of it almost meet.

On the way there we found the white gentian on the next page, growing in several places on the bank, chiefly under or near trees.

ip29 Box CM32



Swallow-wort
- Gentian -

August 18 -

ip30 Box CM32



Bavarian Gentian.

August -

September -

27p31 Box CM32

- Bonifresina -



Panicled
Monk's Hood -

August 28.

27p32 Box CM32



Hawk-weed Hieris -

August 28.

i7p33 Box CH 32



Few-flowered
Rampion -

Alpine Fleabane -

i7p34 Box CH 32



Dioecious Antennaria -

- Aug. 28 -

The toad flax on the opposite page was found close to the Nartuatsch glacier; I also found it growing in the bed of a stream, and high up in a mountain stream. Some plants have

no yellow centres, and are a paler colour.

The fields are quite mauve with Colchicums, they are very abundant.

Fringed
- Pink -

- Colchicum -
or
- Meadow Saffron -

August 23rd.

We went a walk up the Rosey Valley in search of wild flowers, and on the steep banks by the side of the road we found a good many, including the bearded harebell, with its pretty little fringed pale blue flowers, which always seem to hang down. We found a good deal of alpine flax and ranunculus, also one or two pieces of the pink alpine trifol still out, most of it seems to be over. There

are still several flowers to be found, but it is rather too late for the majority of them. As Portesma is 6000 ft. above the sea level, they are later than most places. In a very damp place I found several plants of panicked monks hood; a few days later I found another variety, the common monks hood, the only difference being that the former has stalked, and the latter sessile flowers.

- Alpine Toad Flax -

ip37 Bon CM 2



(white)

LONG-STALKED

THISTLE

-Aug 25-

ip38 Bon CM 32



(purple)

Aug 26

17p39 Box CM32



- Cornial Groundsel -

- Cur Leaved Groundsel -

17p40 Box CM32



- Arnica -
opposite leaves

- Doronicum -
alternate leaves

August 29.

Today we went to the Val
its wild flowers. The lower
had just had the hay cut,
grew in great profusion. I had
to be found there, so I climbed
in the grass at the foot
rocks, not far from a small
the grass in several places
alpine forget me nots, and
little bavarian gentian.
I found quantities of the
growing near them were
and orange groundsel and
to find the *Silene acaulis*
tufts on the rocks, or in the
flowers. I found it in
the androsace, which is
were a good many fringed
very delicate pink, and
scent. I found a
house-leeks, which reproduce
off small rosettes of leaves
some of them had as many
growing round the main
few with flowers as large



- Edelweiss -

del Fair, which is noted for
parts of the mountain side
but further up the flowers
beard that edelweiss was
up until I found it, growing
of some enormous limestone
stream. On my way down,
I passed, was blue with
there were patches of the
which was still in flower.
pretty mauve asters, and
bright patches of arnicas
orange hawkweeds. I tried
which grows in moss-like
grass, having small pink
several places, as well as
rather similar. There
pinks, which are a
have a very sweet
great many of these
themselves by sending
which form new plants,
as eight or nine
stem. I found very
as these.



- Cob-webbed House-leek -



Daphne Mezereum

Maloja

We did not find many flowers here, but a great many berries of all kinds. I found bilberries growing everywhere, also the bearberry plant with many berries on it. At Pontresina we saw the plant everywhere, but never even a single berry on it. We found these berries on a shrubby plant about

two feet high; I am not sure what they are; they may belong to the large daphne. Both here and at Pontresina there are no trees with leaves on their branches, firs and larches are the only ones which seem to grow as it is 6,000 ft. above the sea level. We found plants of the honeysuckle which has blue berries.

September 11th.

To-day we went by steamer from Lugano to a small place called Gandia. From there we followed a path above the lake which led round an enormous rock, about two hundred feet high projecting into the lake, and stratified in a most curious manner. Under the trees on the side of the path we found some cyclamens, which were the first I had seen growing wild. On the opposite side of the lake they are said to grow in great profusion. I found a great many ferns, about eight or nine different kinds.

September 28th.

Chubbeside.

This afternoon we went along the road by the Bratton, there was not very much water in it. The hips were very abundant, and I was struck with their colour. Most of them were a very dark red, much darker than I have seen them in the South. We also found campon in bud, and laurels and golden rod still in flower. On an oak-tree we saw some very pretty galls, red and yellow.

INDIA

February 1912 - March 1914.



Helleborine.

Flower.

May 16, 1912

Thandani. May 16, 1912.

Coming up from Abbottabad we saw a good deal of helleborine after passing Kalapani. The trees looked most beautifully fresh in their new Spring green leaves, and the effect of the white flowers amongst them was lovely. There was a great deal of the trailing white Clematis fully out, and the peonies were also in full bloom. It was quite warm coming up.

May 18.

We had a terrific hail and thunderstorm, some of the hail stones were as large as walnuts. In the evening we went a walk to James' Hill, and found several flowers out.

May 20.

We went a walk to Hulaka-dunha Saddle and found the Solomon's Seal in bud; but that evening we found it quite out.

We heard the black & yellow goshawk in several places and saw three. They are large handsome birds, bright yellow with black wings.

Maidenhair grows everywhere very plentifully.



Podophyllum
Emodi-



Fruit-

I have never found these flowers open any more than this, neither have I seen two of them grow near together, they always seem to be very few and far between. It looks very much like an anemone, but belongs to Berberaceae, and not to Ranunculaceae.



-ANEMONE-

-Lack of flower-

This anemone is especially common in our compound. The petals are white, but shaded in varying degrees of mauve, on the underside.

A few leaves are arranged round the top of the stem just below the flowers, and the radical leaves are divided into three, much indented, and covered with silky hairs. The underside of the petals is hairy, but the upper surface is quite smooth.

17p50 B08 CH 32



White Peony -

- Very Plentiful -



- Fruit -



Section showing
seeds -

May 20.

27 p 51 Bosc MB2



- Gentiana Argentea -

This small blue gentian grows plentifully in the grass, never being more than about two inches high. The flowers close in the evening.

May 30.

June 7. We went out specially to see the black and yellow grosbeak - a large yellow bird with black wings, but unfortunately we did not see it. We found a white columbine in flower. The fruit of the sycamore is a brilliant red colour, I have never seen it so bright. There seems to be a great deal this year. Two little black crested tits are building in the front verandah. Their nest is beautifully made of ~~woven~~ wood, woven together, and is of a bluish grey colour. I found this mouse anemone, which is coloured on the upper side of the petals, and white underneath, just the contrary of the others.

27 p 52 Bosc MB2



- Primula.
Very common everywhere.

- Mouse Anemone -



Front



Gerbera Lanuginosa.

Back

June 10

27p53 Box CH32

JUNE 8.



August 5.



6.10.9 1899



-Tree Frog-

Sept 18

27p54 Box CH32

June 12.

Today we went a walk along the precipice path and we found several new flowers. A little way up the bank we saw a small bush of yellow jessamine. (*Jasminum humile*) The flower is ~~very~~ pretty and the scent is very sweet. We saw several plants of yellow wallflower. The stems are thick and upright, not branched, and the flowers are small and yellow. By the side of the path we saw a very pretty rock plant (see next page) rather resembling a pink forget-me-not. The stalks were unbranched, tall (6-12 inc) and slender, and the leaves ~~grew~~ in a rosette at the bottom. I have not yet found its name.

We next came to a flower growing in the rocks, very much like a colts foot, but being either pale pink or white. The leaves were radical; bluish green on the upper, and white on the under side, and shaped like those of a dandelion.

The deadly nightshade near the tennis court is now in flower. The flowers differ a little from those I saw at Farness Abbey, they are much more of a greenish yellow, not nearly such a deep purple.

June 14.

We found several wild rose bushes in full bloom just below James's hill. We saw a saw thistle for the first time. On the lower road just past the tennis courts, we found three ripe strawberries, the first I have seen this year.

June 18.

This evening we went a walk on the path just below the precipice path. We found a great many ripe strawberries, most of which were quite sweet.

Revisited St. John's Bar we found out for the first time, and we found several plants of "Sedum lanuginosa" growing in the rocks, much finer specimens than we found on the path above. Composites were very plentiful, and there were several plants of the pretty little yellow jessamine.

Nepetas are very common, and vary a good deal in colour from quite a pale pinkish-purple, to quite a dark blue or purple. See next page.



27p57BoxCM32



- Nepeta Erecta -

JUNE 12, 1892



- Jessamine -



Flower

JUNE 13, 1892

27p58BoxCM32



Fruits of the
- Sycamore -

JUNE 19

June 26. Yesterday we found several new flowers. Seen to grow up here.

found edelweiss

We came across

looks very much

outer name

upper and ~~two~~ ^{one}

hairy. One of

The seeds ^{seeds} grow

out. Thus: -

found very

We saw a

not yet found

pink, resembling

like thistles.

A horse

growing on it.

growing in rather rocky places; it was a little like vervain,

only the flowers seemed crowded in a flat head at the top of

the stalk, and in a spike.

Mullein is much further

went for a picnic to Panther Hill Saddle, and I found several new flowers. While rambling wild roses were lovely, they were seen to grow up here. We climbed about halfway up Panther Hill and growing in great quantities, but it was getting over.

a tall, leafless plant, with small mauve flowers; it

like an achis. The perianth consists of five

sepals, surrounding an inner lip divided into two

lower petals. Each are divided, and the upper two are

the sepals is spurred. The stamens are numerous.

in threes, and expand to let the seeds fall

The plant was nearly over, we

few flowers still out.

good deal the flower illustrated on this page; I have

its name. The flowers are white tinged with

pink, resembling those of the honeysuckle. The leaves are prickly,

The white jessamine is beginning to come out.

Chestnut tree had a great deal of mistletoe.

On the way back we found an erect plant

growing in rather rocky places; it was a little like vervain,

only the flowers seemed crowded in a flat head at the top of

the stalk, and in a spike.

just beginning to come out down there, but is back up here.



- Morina persica -

Panther Hill

June 26. Today we found meadow
cresskill out for the first time on James' Hill.
We also found a thick, short, hairy member
of the Labiales, with bluish grey flowers, I
think it is "philomis bracteosa."

July 2.

We found the first piece of this flower on
the opposite page (*Wulfenia amharica*)
growing in the rocks at the side of the
waterworks' road. It always grows on
damp rocks.

July 15.

We went along the precipice path for the
first time since the rains began, and found
quantities of the little mauve *roscoea alpina*.
(see illustration next page) It seems to have
shot up since we were here last about a
week ago. We have also found here a
trailing plant with greenish white flowers,
rather resembling *begonia*.



Wulfenia amharica

17p62 Box CM32



Roscoeae alpina



White Bistort

July 23, 1912.

17p63 Box CM32



Red Bistort



Potentilla

July 18, 1912.

July 18, 1912.

7p64 Box CH32



July 27-



July 27-



July 28-



Aug 7-



July 27-



July 28-



Aug 2.



July 27-

-Toadstools-

17p65 Box CH32

July 31. We found this
out for the first time
on the precipice path;
there seemed to be very
little of it, we only saw
two other pieces. We
also found a yellow
velvet, with numerous
yellow flowers, tinged
with purple.
The "roscola alpina" is
quite over now.



Fruit of The Balsam.

Fringed Campan.

17p66 Box CH32



Seed -

BALSAM.

August 6, 1912.

27 p 67 Box CH32
ORCHIDACEAE



Habenaria Edgeworthii

August 6-

Aug. 5-

27 p 68 Box CH32



Neottia listerioides

Aug. 10.



Satyrium nepalense

SEP. 2.

27 p 67 Box 132

August 12.

On Saturday we went to Panther Hill, and found sixteen new flowers, this thistle amongst them. It has small white flowers, (which were almost over,) embedded in brown hairy down. The leaves were green on the upper side covered with white down, and quite white on the under side. We found another balsam, having pink flowers, smaller than those usually found here, and a spur.

Several plants of the pink bistort were growing on the top.



Echinops

27 p 70 Box 132

Edelweiss was over, but in a few places we found a new crop coming out, with very large flowers.

Woody nightshade was growing by the side of the path below the hill, I have found none

anywhere else. There were quantities of a rather tall pink flower which seems to grow there only, I have seen it nowhere else. It is one of the Labiales.

Pedicularis gracilis.

I found all three colours of bistort - red, white and pink.



Red
Broom-
Rope.

AUG. 13.

FLOWER

No.	NAME	LATIN NAME	ORDER
339	Meadow Sage	Salvia pratensis	Labiatae
340	Swallow-wort Gentian	Gentiana asclepiadea	Gentianaceae
341	Evergreen Saxifrage	Saxifraga aizoides	Saxifragaceae
342	Arnica	Arnica montana	Compositae
343	German Gentian	Gentiana germanica	Gentianaceae
344	Flw flowered Rampion	Phyteuma pauciflorum	Campanulaceae
345	Alpine Trefoil	Trifolium alpinum	Leguminosae
346	Antennaria (m)	Antennaria dioica	Compositae
347	Antennaria (f)	Antennaria dioica	Compositae
348	Common Monks Hood	Aconitum Napellus	Ranunculaceae
349	Monks Hood (panicled)	Aconitum paniculatum Lamarck	Ranunculaceae
350	Bearded Bell Flower	Campanula barbata	Campanulaceae
351	Boreal Linnaea	Linnaea borealis	Caprifoliaceae
352	Rough Saxifrage	Saxifraga aspera	Saxifragaceae
353	Golden Hawks Beard	Crepis aurea	Compositae
354	Alpine Fleabane	Erigeron alpinus	Compositae
355	Long-stalked Thistle	Carduus	Compositae
356	Silver Thistle	Carlina acaulis	Compositae
357	White Mountain Saxifrage	Saxifraga aizoon	Saxifragaceae
358	Alpine Speedwell	Veronica alpina	Scrophularinae
359	Colechicum	Colechicum autumnale	Liliaceae
360	Cobwebbed House-leek	Sempervivum arachnoideum	Liliaceae
361	Fringed Pink	Dianthus superbus	Caryophyllaceae
362	Alpine Toadflax	Linaria alpina	Scrophularinae
363	Brown Trefoil	Trifolium badium	Leguminosae
364	Edelweiss	Gnaphalium leontopodium	Compositae
365	Doronicum	Senecio Doronicum	Compositae
366	Carnid Groundsel	Senecio carniolicus	Compositae

LIST (continued)

1911

J F M A M J J A S O N D	WHERE FOUND
17 17	Thusis - Switzerland.
17 17	Thusis
17	Pontresina
20	Pontresina
20	Pontresina
22	Roseng Valley
22	Roseng Valley
22	Roseng Valley
22	Roseng Valley
22 1	Roseng Valley
22 1	Thusis and Pontresina
22 1	Roseng Valley
22	Woods, Pontresina
23	Alp Languard "
23 1	Bernina Road "
23 1	Roseng Valley, Pontresina
23 1	Alp Languard "
23 1	Roseng Valley "
23	Alp Languard "
23	Alp Languard "
24 1	Fields, Pontresina
25 1	Val del Fain, Bernina Pass.
25 1	Val del Fain
27 1	Morteratsch Glacier
27 1	Pontresina
29	Val del Fain
29	Val del Fain
29	Val del Fain

FLOWER

Nos	NAME	LATIN NAME	ORDER
367	Cut-leaved Groundsel	<i>Senecio abrotanifolius</i>	Compositae
368	Alpine Aster	<i>Aster alpinus</i>	Compositae
369	Bavarian Gentian	<i>Gentiana bavarica</i>	Gentianaceae
370	Glacier Androsace	<i>Androsace glacialis</i>	Primulaceae.
371	Dwarf Silene	<i>Silene acaulis</i>	Caryophyllaceae
372	Alpen-rose	<i>Rhododendron hirsutum</i>	Ericaceae
373	Beaked Lousewort	<i>Pedicularis caespitosa</i>	Scrophularinae
374	Alpine Ox-Eye	<i>Chrysanthemum alpinum</i>	Compositae
375	Black Milfoil	<i>Achillea atrata</i>	Compositae
376	Astragal	<i>Astrantia major</i>	Umbelliferae
377	Grey Saxifrage	<i>Saxifraga androsacea</i>	Saxifragaceae
378	Alpine Bitter Cress	<i>Hutschinsia alpina</i>	Cruciferae
379	Dwarf Eyebright	<i>Euphrasia minima</i>	Scrophularinae
380	Dwarf Cudweed	<i>Gnaphalium supinum</i>	Compositae
381	Wood Cudweed	<i>Filago germanica</i>	Compositae
382	Yellow Sage	<i>Salvia glutinosa</i>	Labiatae
383	Wood-pink	<i>Dianthus sylvestris</i>	Caryophyllaceae
384	Trailing Daisy	<i>Erigeron mucronatus</i>	Compositae
385	Cyclamen	<i>Cyclamen europaeum</i>	Primulaceae
386	Persecaria (pink)	<i>Polygonum Persicaria</i>	Polygonaceae
387	Hemp Agrimony	<i>Adenostyles alpina</i>	Compositae
388	Yellow Wort	<i>Blackstonia perfoliata</i>	Gentianaceae
389	Hop	<i>Humulus Lupulus</i>	Urticaceae
390	Peppermint	<i>Lepidium latifolium</i>	Cruciferae
391	Livewort	<i>Sedum telephium</i>	Crassulaceae
392	Water Pepper	<i>Polygonum lrydropiper</i>	Polygonaceae
393	Autumnal Hawkbit	<i>Leontodon autumnalis</i>	Compositae
394	Ivy	<i>Hedera Helix</i>	Araliaceae
395	Round-leaved Sundew	<i>Drosera rotundifolia</i>	Droseraceae
396	Creeping Thistle	<i>Cnicus arvensis</i>	Compositae
397	Hawk-weed Picris	<i>Picris Hieracioides</i>	Compositae

LIST (continued)

-1911-

J F M A M J J A S O N D

WHERE FOUND

29

Val del Fain Bernina Pass, Pontresina

29

Val del Fain " "

29

Val del Fain " "

29

Val del Fain " "

29

Val del Fain " "

29

Val del Fain " "

29

Val del Fain " "

29

Muottas Muragl & Val del Fain

29

Val del Fain " "

29

Roseng Valley " "

29

Alp Languard " "

1

Pontresina

1

Pontresina

1

Pontresina

3

Pontresina

3

Pontresina

7

Maloja and Chiavenna.

7

Bernina Road.

7

Bellagio

7

Gandria, S. of Lugano.

27

Thosis

29

3

3

29

282

28

2

3

2

3

21

Nos	NAME	LATIN NAME	ORDER	1912	J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	THANDIANI Nos.
398	Helleborine	Cephalanthera ensifolia	Orchidaceae													16	1												1
399	White Peony															16	1												2
400	Clematis	Clematis montana	Ranunculaceae													16	1	1	1										3
401	Anemone	Anemone obtusiloba	Ranunculaceae													16	1	1	1										4
402	Pink Anemone	Podophyllum Emodi	Berberidaceae													20	1												5
403	Saxifrage	Saxifraga ciliata	Saxifragaceae													18	1	1	1										6
404	Primula (purple)	Primula denticulata	Primulaceae													18													7
	Wood violet															16	1												8
	Yellow Columbine															16	1												9
	Dandelion															17	1	1	1										10
405	Primula (pink)	Androsace rotundifolia	Primulaceae													18	1	1	1										11
	Hawkweed															18	1	1	1										12
	Figwort															18	1	1	1										13
	Bladder campion															18	1												14
	Colts foot																												15
	Buttercup															18	1												16
406	Wayfaring tree 1.	Viburnum cotinifolium	Caprifoliaceae													18	1	1	1										17
407	Wayfaring tree 2.	Viburnum foetens	Caprifoliaceae													18													18
	Ribwort plantain	Plantago lanceolata	Plantaginaceae													18	1	1	1										19
408	Alpine Penny cress															18	1												20
	Strawberry															18	1												21
	Anemone															18	1	1	1										22
	Black medick															18	1	1	1										23
409	Spurge	Euphorbia Royleana	Euphorbiaceae													18	1	1	1										24
	Marsh Valerian															18	1												25
	Cherry															17													26
	Sycamore															17	1												27
	Solomon's Seal															20	1												28
410	Potentilla	Potentilla nepnensis	Rosaceae													20	1	1	1										29

Nos	NAME	LATIN NAME	ORDER	1912 J F M A M J J A S O N D J F M A M J J A S O N D	Thandiani Nos.
411	Yellow Laurel	Skimmia Laureola	Rutaceae	16	30
	White Dead Nettle			21 1 1 1	31
412	Honeysuckle Tree par.	Lonicera orientalis	Caprifoliaceae	22	32
413	Small blue Gentian	Gentiana argentea	Gentianaceae	17 1 1	33
	Chickweed			20 1 1 1	34
	Germander Speedwell	Veronica biloba	Scrophulariaceae	25 1 1 1	35
414	Small white saxifrage	Gypsophila cerastioides	Saxifragaceae	16 1 1 1	36
415	Small ox eyed daisy		Compositae	16	37
	Pine			18 9	38
	Sorrel			29 1	39
	Wild Currant			30 1	40
416	Mauve Columbine	Aquilegia pubiflora	Ranunculaceae	1 1 1 1	41
	Honeysuckle Tree		Caprifoliaceae	1	42
	Horse chestnut			2	43
417	Blue Mint	Nepeta erecta	Labiatae	1 1 1	44
418	Flixweed	Sisymbrium Sophia	Cruciferae	1	45
419	Barberry	Berberis vulgaris	Berberidaceae	1	46
	"	Berberis Lycium	Berberidaceae	1	47
	Musk Thistle			3 1 1	48
	Wild Rose	Rosa macrophylla	Rosaceae	3 1	49
	Wild Carrot		Umbelliferae	3 1 1	50
	Small pink bramble			20 1	51
420	Indigo	Indigofera perardiana	Leguminosae	1	52
421	Yellow Daisy	Senecio Amplexicaule	Compositae	1 1 10	53
422	Cotoneaster	Cotoneaster bacillaris	Rosaceae	6 1	54
	Wallflower	Erysimum altaicum	Cruciferae	3	55
423	Jessamine	Jasminum humile	Oleaceae	12 1 1	56
424	Gerbera	Gerbera lanuginosa	Compositae	12 1 1	57
		Micromeria biflora	Labiatae	12 1	58
425	Dock			3	59
	Deadly Nightshade	Atropa belladonna	Solanaceae	29 1 1 1	60
	Heath Bedstraw	Galium saxatile	Rubiaceae	29 1 1 1	61
	Edelweiss	Graphalium leontopodium	Compositae	12 1 1	62
				10 1 1	63
				10 10	64

27p75BoxCH32

Nos	NAME	LATIN NAME	ORDER	1912 J F M A M J J A S O N D J F M A M J J A S O N D	THANDIANI NOS
	Mallow	Malva rotundifolia	Malvaceae	29 1 1 1	
426	Rock Primula	Androsaceae sarmentosa	Primulaceae	12 1 1	65
	Sow Thistle	Sonchus oleraceus	Compositae	14	66
	Perforated St. John's Wort	Hypericum perforatum	Hypericaceae	17 1 1	67
	Common Avens	Geum urbanum	Rosaceae	17 1 1	68
	Small Willow Herb	Epilobium brevifolium	Onagraceae	19 1 1	69
				19 1 1	70
427	Cobra Plant	Arisaema Wallichianum	Araceae	19 1 1	71
428	Tall Solomon's Seal	Polygonatum verticillatum	Liliaceae	21	72
429	Coloneaster (pink)	Coloneaster rosea	Rosaceae	21	73
	Self-heal			21 1 1	74
	Wood Sanicle			24 1 10	75
430	Hound's Tongue	Cynoglossum microglochin	Boraginaceae	24 1 1	76
	Tarrow			24 1 1	77
	Persicaria			24 1 1	78
431	White Rose			19 1 1	79
432	Cobra plant (small)	Arisaema flammum	Araceae	19 1 1	80
	White jessamine	Jasminum officinale		25 1 1	81
	Spiraea	Spiraea sorbifolia	Rosaceae	25 2 1	82
433				25 1 1	83
434	White Rambler	Rosa moschata	Rosaceae	25 2	84
435	Knapweed	Serratula pallida	Compositae	25	85
436	Tall nettle	Girardinia heterophylla	Labiatae	25 1 1	86
437				25 1 1	87
	Mullein	Verbascum Thapsus	Scrophularinae	25 2 1	88
	Bedstraw	Galium cryptanthum	Rubiaceae	25 1 1	89
438	White marjoram			25 1 1	90
439	Sisymbrium	Sisymbrium stricta	Cruciferae	25 1 1	91
	Meadow Cranesbill			26 1 1	92
440	Forgetmenot	Cynoglossum furcatum	Boraginaceae	26 2 1	93
441	Philolmis	Philolmis bracteosa	Labiatae	26 1 1	94
	Stinging Nettle	Urtica dioica	Urticaceae	27 2 1	95
442	Cobra Plant (green)	Arisaema Jacquemontii	Araceae	28 2 1	96
443	Morina	Morina persica	Dipsaceae	25	97
				18 1 1 1	98
	Common Agrimony	Agrimonia Eupatorium	Rosaceae	23 30 2 1	99
	Campanula	Campanula colorata	Campanulaceae	2 1	100
444	Red Bistort	Polygonum amplexicaule	Polygonaceae	2 1	101

27p7680KCH32

Nos.	NAME	LATIN NAME	ORDER	912	J	F	M	A	M	J	J	A	S	O	N	D	J	F	M	A	M	J	J	A	S	O	N	D	Thandiani Nos.
	Yellow Vetch																												
445	Wulfenia	Wulfenia Amherstiana	Scrophulariaceae	2																									102
446				2	1																								103
				2	1																								104
447	White Nepeta	Nepeta ciliaris	Labiatae	2	1																								105
448	Bryony	Cynanchum auriculatum	Asclepiadaceae	11	1																								106
	Toothed Medick	Medicago denticulata	Leguminosae	16	1																								107
449	Roscoea	Roscoea alpina	Scitamineae	15	1																								108
450	Bur Marigold			17	1																								109
451	Pink Balsam	Impatiens Roylei	Geraniaceae	13	1																								110
452	Small Balsam	Impatiens brachycentra	Geraniaceae	17	1																								111
453	Tall Campanula			11	1																								112
	Ragwort			15	1																								113
454				18	1																								114
	Nipplewort	Lapsana communis	Compositae	18	1																								115
455	Yellow Balsam	Impatiens brachycentra ^{scabrida}	Geraniaceae	18	1																								116
	Toothwort	Lathraea squamosa	Scrophulariaceae	18	1																								117
	Mallow	Malva silvestris	Malvaceae	27	1																								118
	Corydalis. H	Corydalis ramosa	Fumariaceae	27	1																								119
456	Fringed Campion	Silene Griffithii	Caryophyllaceae	30	13																								120
457	Yellow Vetch	Astragalus chlorostachys	Leguminosae	31																									121
	Slender Hares Ear	Bupleurum tenue	Umbelliferae	31	1																								122
458	Spirea	Spiraea canescens	Rosaceae	27																									123
	Yellow Thistle		Compositae	27	1																								124
459	Herminium	Herminium angustifolium?	Orchidaceae	2																									125
460	Neottia	Neottia listeroides	Orchidaceae	1																									126
461	Autumn Ladies Tresses	Spiranthus autumnalis	Orchidaceae	3																									127
462	Habenaria	Habenaria Edgeworthii	Orchidaceae	3																									128
	Greater Plantain	Plantago major	Plantaginaceae	18	1	1																							129
	Oxalis	Oxalis corniculata	Geraniaceae	3																									130
	Goosefoot	Chenopodium	Chenopodiaceae	3																									131
463				3																									132
464	Alpine Enchanters Nightshade	Circeae alpina	Onagraceae	30	13																								133
465	Clematis nutans	Clematis nutans?	Ranunculaceae	4																									134
				5																									135

[illegible]

171

Nos.	ENGLISH NAME	LATIN NAME	
	Hemp		
	Prenanthes	Prenanthes Brunoniana	Compositae
	Mugwort		
	Nepeta	Nepeta Qovaniana	Labiatae
	Wild Basil		
	Golden Rod		
	Pink Orchis	Satyrium nepalense	Orchidaceae
	Swertia 3.	Swertia tetragona	Gentianaceae
	Black Nightshade		
	Knot Grass		
	Artemesia		
	Travellers Joy		

J F M A M J J A S O N D

22	
27	172
27	173
30	174
31	175
31	176
31	177
31	178
31	179
31	186
31	181
31	182
31	183
31	184
31	185